Contents

Abstract vii

Kurzfassung ix

Acknowledgment xi

List of Symbols xiii

List of Abbreviations xv

1 Introduction 1
- 1.1 Motivation . . . 1
- 1.2 Scientific Question . . . 2
- 1.3 Outline . . . 2

2 Fundamentals 3
- 2.1 Lithium-based Batteries . . . 3
  - 2.1.1 Cell Chemistry and Active Materials . . . 3
  - 2.1.2 Liquid and Solid Electrolytes . . . 4
  - 2.1.3 Battery Aging and Solid Electrolyte Interface . . . 5
  - 2.1.4 Applied Reference Cell System . . . 7
- 2.2 Processes for Large-Scale Battery Production . . . 8
  - 2.2.1 Electrode Production . . . 8
  - 2.2.2 Cutting and Cell Assembling . . . 9
  - 2.2.3 Formation . . . 10
- 2.3 Modeling of Batteries and Battery Production . . . 10
  - 2.3.1 Electrochemical Models . . . 10
  - 2.3.2 Governing Equations of the P2D-Model . . . 12
  - 2.3.3 Governing Equations of the Single Particle Model . . . 15
  - 2.3.4 Modeling the Calendering Influence . . . 16
  - 2.3.5 Simulation in Production . . . 16
- 2.4 Fundamentals of Parameter Estimation and Identifiability . . . 17
  - 2.4.1 Parameter Estimation . . . 17
  - 2.4.2 Identifiability of Model Parameters . . . 19
- 2.5 Fundamentals of Uncertainty Quantification . . . 20
  - 2.5.1 Preliminary Work . . . 21
  - 2.5.2 Point Estimate Method . . . 22

3 Parameterization and Practical Identifiability 25
- 3.1 Mathematical Method . . . 25
  - 3.1.1 Electrochemical Models . . . 25
  - 3.1.2 Multi-Step Parameter Estimation . . . 25

3.1.3 Multi-Start Parameter Estimation . . . 28
3.2 Results and Discussion of Identifiability of the P2D Model . . . 29
3.2.1 Unidentifiability of the P2D model from C-rate tests . . . 29
3.2.2 Identifiability through EIS and C-rate Analysis . . . 32
3.3 Concluding Remarks about Identifiability of the P2D . . . 34

4 Uncertainty Quantification for Large-scale Battery Production 35
4.1 Mathematical Model . . . 36
4.1.1 Uncertainty Quantification using Monte Carlo Simulations . . . 36
4.1.2 Battery Model . . . 36
4.1.3 Parameters of the Reference Cell . . . 38
4.2 Results and Discussion . . . 38
4.2.1 Deviation of Product Parameters . . . 38
4.2.2 Parameter Sensitivity Analysis . . . 39
4.2.3 Assessment of the nested PEM . . . 44
4.2.4 Investigation of sub-cell level deviations . . . 45
4.3 Concluding Remarks . . . 48

5 Micro Structure Modeling of All-Solid-State Electrodes 49
5.1 Preliminary Work . . . 49
5.2 Computational Methodology . . . 50
5.2.1 Structure Generation Algorithm . . . 50
5.2.2 Evaluation of Structures . . . 54
5.2.3 Physical Model Parameters . . . 56
5.2.4 Numerical Model Parameters . . . 57
5.3 Evaluation of Numerical Effects . . . 58
5.4 Results and Discussion . . . 59
5.4.1 Influence of Conducting Additive Volume Fraction . . . 59
5.4.2 Influence of Spatial Conducting Additive Distribution . . . 63
5.4.3 Influence of Size Distribution of Conducting Additives and Active Material . . . 65
5.4.4 Qualitative Comparison with Published Experimental Data . . . 67
5.5 Concluding Remarks . . . 68

6 Coupling of Micro Structure and Electrochemical Models 69
6.1 Preliminary Work on Structure-Model Parameter Relations . . . 69
6.2 Cell Setup and Test Conditions . . . 71
6.3 Computational Methods . . . 71
6.3.1 Micro Structure Generation and Evaluation . . . 71
6.3.2 Electrochemical Modeling . . . 72
6.4 Results and Discussion . . . 73
6.4.1 Micro Structure Simulations . . . 73
6.4.2 Derived Algebraic Structure-Parameter Relations . . . 75
6.4.3 Coupled Electrochemical Simulations . . . 79
6.4.4 Evaluation of the Robustness of the Approach . . . 80
6.5 Concluding Remarks . . . 84

7 Summary and Conclusions 85

A Structural Identifiability of Parameter Estimation Steps 1 and 3 **87**

B Comprehensive Results of Multi-Start Parameter Estimation **91**

Bibliography **95**

List of Figures **109**

List of Tables **113**