

Contents

| | |
|--|--------------|
| Abstract | v |
| Acknowledgements | vii |
| List of Figures | xiii |
| List of Tables | xix |
| List of Abbreviations | xxi |
| Physical Constants | xxiii |
| List of Symbols | xxv |
| 1 Introduction | 1 |
| 1.1 Purpose of the work | 2 |
| 1.2 Thesis Outline | 4 |
| 2 Fundamentals | 5 |
| 2.1 Implantable Medical Systems | 5 |
| 2.1.1 General Architecture | 8 |
| 2.1.2 Challenges for IC design | 10 |
| 2.1.3 Device encapsulation | 11 |
| 2.2 Interstitial space and its characteristics | 12 |
| 3 Pressure Monitoring | 15 |
| 3.1 MEMs pressure transducers | 17 |
| 3.1.1 Piezoresistive pressure transducers | 18 |
| 3.1.2 Capacitive pressure transducers | 20 |
| 3.2 Data acquisition | 23 |
| 3.2.1 Piezoresistive pressure sensor signal path | 23 |
| 3.2.1.1 Noise analysis | 24 |
| 3.2.1.2 Piezoresistive sensor interface implementation | 31 |

| | | |
|----------|---|-----------|
| 3.2.2 | Capacitive pressure sensor interface | 40 |
| 3.2.2.1 | CDC Proposed architecture | 42 |
| 3.2.2.2 | Capacitance to time conversion | 44 |
| 3.2.2.3 | Time to digital conversion | 49 |
| 3.2.2.4 | Noise analysis on the proposed CDC unit | 53 |
| 3.2.2.5 | CDC implementation and results | 60 |
| 4 | Temperature Monitoring | 71 |
| 4.1 | Temperature transducers | 72 |
| 4.2 | Integrated temperature transducer design | 73 |
| 4.2.1 | On-chip sensing methods | 73 |
| 4.2.2 | Implementation of temperature sensing unit | 76 |
| 4.3 | Implementation and results | 78 |
| 5 | Timing | 83 |
| 5.1 | Low power timer design | 84 |
| 5.1.1 | Re-configurable delay thyristor-based unit cell | 84 |
| 5.1.2 | Thyristor-based ring oscillator | 86 |
| 5.1.3 | Digital clock divider | 86 |
| 5.2 | Control system clock generation and gating | 87 |
| 5.2.1 | Thyristor-based current controlled oscillator | 87 |
| 5.2.2 | Clock gating unit | 89 |
| 5.3 | Timing unit implementation and results | 91 |
| 5.3.1 | Timer unit results | 91 |
| 5.3.2 | Clock unit results | 93 |
| 6 | Device Encapsulation and Mechanics | 95 |
| 6.1 | Device encapsulation | 95 |
| 6.1.1 | Materials for encapsulation | 96 |
| 6.1.1.1 | Requirements of encapsulation materials | 97 |
| 6.1.1.2 | Available bio-materials | 100 |
| 6.1.1.3 | Encapsulation material selection | 101 |
| 6.1.2 | Encapsulation of the pressure monitoring IMS | 102 |
| 6.1.2.1 | Encapsulation process considerations | 103 |
| 6.1.2.2 | Mould design for silicone casting | 105 |
| 6.1.2.3 | Silicone preparation and potting | 108 |
| 6.2 | Manufacturing of mechanical parts | 109 |
| 6.3 | Manufacture of mockups | 110 |

| | | |
|----------|---|------------|
| 7 | Application in cancer monitoring | 113 |
| 7.1 | Cancer and its micro-environment | 114 |
| 7.1.1 | Role of interstitial fluid pressure in cancer development and treatment | 115 |
| 7.1.1.1 | Overview of the tumour micro-environment development | 116 |
| 7.1.1.2 | Tumour micro-environment effects on cancer treatment | 117 |
| 7.1.2 | Importance of tumour interstitial fluid pressure monitoring | 119 |
| 7.1.2.1 | Interstitial fluid pressure monitoring methods | 120 |
| 7.1.3 | Applications of intratumoral temperature monitoring . | 121 |
| 7.2 | Implantable medical system for cancer monitoring | 122 |
| 7.2.1 | State of the art | 123 |
| 7.2.2 | Implant electronic module | 123 |
| 7.2.3 | Sensor Calibration | 128 |
| 7.2.3.1 | Accuracy and Precision in sensing devices . . | 128 |
| 7.2.3.2 | Calibration considerations | 129 |
| 7.2.3.3 | Calibration of pressure sensors | 131 |
| 7.2.4 | Reader hardware and software | 134 |
| 7.2.4.1 | Stand-alone reader unit | 134 |
| 7.2.5 | Proof-of-concept results | 137 |
| 8 | Conclusion and Outlook | 143 |
| 8.1 | Future work | 144 |
| A | Low Power PVT-Independent Current Source | 147 |
| B | Fabricated ASICs | 151 |
| B.1 | TEST ASIC I | 151 |
| B.2 | TEST ASIC II | 152 |
| B.3 | TEST ASIC III | 153 |
| C | Test system with variable pressure and temperature | 155 |
| | Bibliography | 157 |
| | Lebenslauf | 177 |
| | List of Publications | 179 |