

# Contents

---

**Abstract** **xi**

## PART I INTRODUCTION

<b>1</b>	<b>Introduction to the event-based control of mobile agents</b>	<b>3</b>
1.1	Purpose of the cooperative control of mobile agents . . . . .	3
1.2	Event-based control of mobile agents . . . . .	4
1.3	Motivation and application fields . . . . .	6
1.3.1	Motivation for the event-based control of mobile agents . . . . .	6
1.3.2	Application scenarios . . . . .	7
1.4	Problem formulation and fundamental questions . . . . .	10
1.4.1	Control problem . . . . .	10
1.4.2	Decomposition of the control problem and steps of solution . . . . .	12
1.4.3	Main assumptions . . . . .	16
1.5	Literature review . . . . .	18
1.6	Contribution of this thesis . . . . .	24
1.7	Structure of this thesis . . . . .	26
<b>2</b>	<b>Preliminaries</b>	<b>29</b>
2.1	Notation . . . . .	29
2.2	Specification of the position of an agent . . . . .	30
2.3	Bézier curves . . . . .	31
2.3.1	Definition and properties . . . . .	31
2.3.2	Transformation of a curve from the Bernstein base into the monomial base . . . . .	36
2.3.3	Algorithms . . . . .	37
2.4	Gradient descent optimisation method . . . . .	38
2.5	Demonstration examples . . . . .	39
2.5.1	Unmanned aerial vehicle . . . . .	39
2.5.2	Car on a motorway . . . . .	41

<b>3</b>	<b>Trajectory planning</b>	<b>45</b>
3.1	Planning problem . . . . .	45
3.2	General planning method . . . . .	46
3.2.1	Determination of the control points . . . . .	46
3.2.2	Default transition time interval . . . . .	49
3.2.3	Minimisation of the transition time interval . . . . .	49
3.2.4	Planning task and planning algorithm . . . . .	56
3.3	Planning of a circular trajectory . . . . .	58
3.3.1	Circular segments . . . . .	58
3.3.2	Planning of a circular trajectory using quarter circle segments . . .	65
3.3.3	Planning task and planning algorithm . . . . .	66
3.4	Two planning scenarios . . . . .	69
3.4.1	Trajectory for a change of the speed . . . . .	69
3.4.2	Trajectory for a change of the height . . . . .	76
3.4.3	Planning task and planning algorithm . . . . .	80
<b>4</b>	<b>Prediction and event generation</b>	<b>83</b>
4.1	Overview . . . . .	83
4.2	Prediction of the movement of mobile agents . . . . .	84
4.2.1	General prediction method . . . . .	84
4.2.2	Specific prediction method for a circular movement . . . . .	90
4.3	Event generation . . . . .	93
4.3.1	General events . . . . .	93
4.3.2	Specific events for a circular movement . . . . .	99
<b>5</b>	<b>Properties of the communication network</b>	<b>105</b>
5.1	Communication between mobile agents . . . . .	105
5.1.1	Communication over an ideal network . . . . .	105
5.1.2	Communication over an unreliable network . . . . .	106
5.2	Two common models of communication networks . . . . .	107
5.2.1	Packet loss models . . . . .	107
5.2.2	Radio propagation models . . . . .	109
5.3	Communication model for UAV applications . . . . .	113
5.3.1	Model of the wireless channel . . . . .	113
5.3.2	Two-state Markov model . . . . .	118
5.3.3	Analysis of the Markov model . . . . .	119
5.3.4	Estimation of the parameters of the Markov model . . . . .	122

<b>6</b>	<b>Structure and tasks of the event-based control units</b>	<b>127</b>
6.1	Introduction . . . . .	127
6.2	Event-based control unit $A_S$ of the stand-on agent . . . . .	128
6.2.1	Structure of the control unit . . . . .	128
6.2.2	Tasks of the prediction unit $G_S$ . . . . .	128
6.2.3	Tasks of the event generator $E_S$ . . . . .	129
6.2.4	Task of the trajectory planning unit $T_S$ . . . . .	130
6.3	Event-based control unit $A_G$ of the give-way agent . . . . .	131
6.3.1	Structure of the control unit . . . . .	131
6.3.2	Tasks of the prediction unit $G_G$ . . . . .	131
6.3.3	Tasks of the event generator $E_G$ . . . . .	132
6.3.4	Task of the trajectory planning unit $T_G$ . . . . .	133
<b>7</b>	<b>Components of the event-based control unit</b>	<b>135</b>
7.1	Overview . . . . .	135
7.2	Prediction unit $G_G$ . . . . .	136
7.2.1	General prediction . . . . .	136
7.2.2	Specific prediction for a circular movement . . . . .	136
7.3	Event generator $E_G$ . . . . .	137
7.3.1	Overview of the general event generation . . . . .	137
7.3.2	Communication event $e_{G0}$ . . . . .	137
7.3.3	Proactive event $e_{G1}$ . . . . .	141
7.3.4	Reactive event $e_{G2}$ . . . . .	143
7.3.5	Overview of the specific event generation for a circular movement	144
7.3.6	Communication event $e_{G0}$ for a circular movement . . . . .	145
7.3.7	Proactive event $e_{G1}$ for a circular movement . . . . .	148
7.3.8	Reactive event $e_{G2}$ for a circular movement . . . . .	149
7.4	Trajectory planning unit $T_G$ . . . . .	150
7.4.1	General planning tasks . . . . .	150
7.4.2	Phase 1: Trajectory to adjust the distance to the stand-on agent . .	152
7.4.3	Phase 2: Trajectory to keep the adjusted distance to the stand-on agent	155
7.4.4	Phase 3: Trajectory to return to the initial trajectory . . . . .	156
7.4.5	Specific planning tasks for a circular movement . . . . .	158
7.4.6	Phase 1: Trajectory to adjust the phase or the height to the stand-on agent . . . . .	158
7.4.7	Phase 2: Trajectory to keep the adjusted phase or the height to the stand-on agent . . . . .	160
7.5	Communication method . . . . .	161
7.5.1	Communication flow . . . . .	161
7.5.2	General communication frequency . . . . .	163

7.5.3 Specific communication frequency for a circular movement . . . . 165  
 7.6 Algorithms for the event-based control of mobile agents for an ideal network 168

PART IV EVENT-BASED CONTROL OVER AN UNRELIABLE COMMUNICATION NETWORK

**8 Communication over an unreliable network 175**  
 8.1 Consequences of unreliable communication links . . . . . 175  
     8.1.1 Assumptions . . . . . 175  
     8.1.2 Communication delays . . . . . 176  
     8.1.3 Packet losses . . . . . 178  
 8.2 Extension of the event-based control units . . . . . 179  
     8.2.1 Event-based control unit  $A_S$  of the stand-on agent for an unreliable network . . . . . 179  
     8.2.2 Event-based control unit  $A_G$  of the give-way agent for an unreliable network . . . . . 180

**9 Additional components of the event-based control unit 183**  
 9.1 Overview . . . . . 183  
 9.2 Delay estimator  $D_G$  . . . . . 184  
     9.2.1 Task of the delay estimator . . . . . 184  
     9.2.2 Estimation of the time delay . . . . . 185  
     9.2.3 Algorithm of the event-based delay estimation . . . . . 189  
 9.3 Prediction unit  $G_G$  . . . . . 190  
     9.3.1 Task of the prediction unit . . . . . 190  
     9.3.2 Prediction for a general movement . . . . . 190  
     9.3.3 Prediction for a circular movement . . . . . 193  
 9.4 Event generator  $E_G$  . . . . . 194  
     9.4.1 Overview of the general event generation . . . . . 194  
     9.4.2 Communication event  $e_{G0}$  . . . . . 196  
     9.4.3 Proactive event  $e_{G1}$  . . . . . 201  
     9.4.4 Reactive event  $e_{G2}$  . . . . . 201  
     9.4.5 Packet loss event  $e_{G3}$  . . . . . 201  
     9.4.6 Estimation event  $e_{G4}$  . . . . . 202  
     9.4.7 Specific event generation for a circular movement . . . . . 202  
 9.5 Trajectory planning unit  $T_G$  . . . . . 207  
 9.6 Analysis of the event generation in the presence of time delays and packet losses . . . . . 210  
 9.7 Extended communication method . . . . . 215  
 9.8 Algorithms for the event-based control of mobile agents for an unreliable network . . . . . 218

PART V SIMULATION STUDIES AND EXPERIMENTS

<b>10 Demonstration example: Cooperative quadrotors</b>	<b>225</b>
10.1 Hardware of the quadrotors . . . . .	225
10.2 Quadrotor dynamics . . . . .	227
10.2.1 Nonlinear model . . . . .	227
10.2.2 Partially linearised model . . . . .	231
10.2.3 Affine model . . . . .	232
10.2.4 Decomposition of the system behaviour by decoupling . . . . .	233
10.2.5 Motor dynamics . . . . .	235
10.3 Local control of a quadrotor . . . . .	235
10.3.1 Control loop of the quadrotor . . . . .	235
10.3.2 Flatness of the quadrotor model . . . . .	238
10.3.3 Feedforward controller . . . . .	239
10.3.4 Feedback controller . . . . .	240
10.3.5 Maximum tracking error . . . . .	244
10.4 Event-based control of two quadrotors . . . . .	245
<b>11 Simulation studies</b>	<b>247</b>
11.1 Aims . . . . .	247
11.2 Scenario 1: Estimation of the time delay depending on the movement of the agents . . . . .	248
11.2.1 Description of the scenario . . . . .	248
11.2.2 Results of the scenario . . . . .	249
11.3 Scenario 2: Ensuring collision avoidance in the presence of packet losses .	253
11.3.1 Description of the scenario . . . . .	253
11.3.2 Results of the scenario . . . . .	254
11.4 Scenario 3: Fulfilment of the maximum separation in the presence of packet losses . . . . .	258
11.4.1 Description of the scenario . . . . .	258
11.4.2 Results of the scenario . . . . .	259
11.5 Concluding remarks . . . . .	262
<b>12 Experiments</b>	<b>263</b>
12.1 Aims . . . . .	263
12.2 Experimental test bed . . . . .	264
12.3 Experimental results . . . . .	267
12.3.1 Description of the scenario . . . . .	267
12.3.2 Part 1: Maintenance of a phase difference between two quadrotors	268
12.3.3 Part 2: Maintenance of a phase difference and a height difference between two quadrotors . . . . .	273
12.3.4 Maintenance of a phase difference between two robots . . . . .	275

Contents

12.4 Computational aspects and concluding remarks . . . . .	278
<b>13 Conclusion</b>	<b>281</b>
13.1 Summary . . . . .	281
13.2 Outlook . . . . .	282
<b>Bibliography</b>	<b>285</b>

APPENDIX

<b>A Introduction to Markov Models</b>	<b>299</b>
A.1 Mathematical basics . . . . .	299
A.2 Discrete probability theory . . . . .	300
A.3 Markov chains . . . . .	302
A.4 Properties of Markov chains . . . . .	304
A.5 Stationary probability distribution . . . . .	305
A.6 Hidden Markov model . . . . .	310
A.7 Continuous probability theory . . . . .	311
<b>B Proofs</b>	<b>313</b>
B.1 Proof of Theorem 3.1 . . . . .	313
B.2 Proof of Theorem 4.1 . . . . .	315
B.3 Proof of Theorem 7.1 . . . . .	318
B.4 Proof of Theorem 7.2 . . . . .	322
B.5 Proof of Lemma 7.1 . . . . .	323
B.6 Proof of Lemma 7.2 . . . . .	324
B.7 Proof of Lemma 7.3 . . . . .	326
B.8 Proof of Lemma 7.4 . . . . .	327
B.9 Proof of Theorem 7.5 . . . . .	328
B.10 Proof of Theorem 9.1 . . . . .	329
B.11 Proof of Theorem 9.2 . . . . .	330
B.12 Proof of Lemma 9.1 . . . . .	331
B.13 Proof of Lemma 9.2 . . . . .	331
B.14 Proof of Theorem 9.5 . . . . .	332
B.15 Proof of Proposition 10.1 . . . . .	333
<b>C List of Symbols</b>	<b>337</b>